Math 38 - Graph Theory Connectivity and paths

We keep looking at the interconnections between edge-connectivity and vertex-connectivity. We also consider what it means for cycles and paths.

Blocks

Is a connected graph with no cut-vertex 2-connected?

Connectivity 0 Connectivity 1

Definition

A block of a graph G is a maximal connected subgraph that has no cut-vertex.



Properties

- Isolated vertices, as well as "isolated edges" (isolated copies of K2) are blocks.
- A cycle is always 2-connected, so it is always inside the same block.
- Since the only edges that are not in cycles are cut-edges, an edge with its two enpoints is a block if and only if
- Blocks in a tree:
- Blocks in a loopless graph:

Proposition

Two blocks in a graph share at most one vertex.

Proof

By contradiction. If two blocks A and B share vertices u and v, they are connected components with no cut-vertices inside. They are also maximal, so if we extend their size, we will be creating a cut-vertex.

Since there is a path from u to v in A and one in B (because blocks are connected), there is a cycle containing u and v, and A and B form together a 2-connected component. Hence, they are in the same block.



Proposition If two blocks share a vertex, it is a cut-vertex.

2-connected graphs

Two paths from u to v are internally disjoint if they have no common internal vertex.

Theorem (Whitney, 1932)

A graph with at least three vertices is 2-connected if and only if there exist internally disjoint u, v-paths for each pair $\{u, v\}$.

Proof

- Since there are at least 2 disjoint u,v-paths for every pair $\{u,v\}$, u and v cannot be separated by removing one vertex. This is true for all $\{u,v\}$, so the graph does not have connectivity 1. It must have connectivity at least 2, and is hence 2-connected.
- ⇒ By induction on d(u,v), the distance between u and v. Base case: u and v are adjacent. Since the graph is 2-connected, it is also 2-edge-connected, and removing edge e={u,v} lets the graph connected, which means there is a path between u and v avoiding e.

Induction hypothesis: If distance is k=d(u,v), there exists two internally disjoint uv-paths.

Induction step: Let u and v be at distance k+1, and let P be a uv-path of (minimal) length k+1. Let w be the vertex on P at distance k of u, so w is adjacent to v, and P' be that portion of P.



By induction hypothesis, there exist two internally disjoint uw-paths, P' and Q'.

If Q' contains vertex v, let Q be the portion from u to v in Q'; then Q is a uv-path that is internally disjoint from P.



Otherwise, consider G-w. It is connected since there is no cutvertex. So there is a path R between u and v avoiding w. If it avoids P or Q, R is internally disjoint from it. Otherwise, let x be the last vertex of R that also belongs to either P or Q. If x belongs to Q, then P is disjoint from the part of Q between u and x and from the part of R between x and v, which is a path from u to v (disjoint from P). If x belongs to P, the argument is similar.

Corollary

For a graph with at least three vertices, the following conditions are characterization of 2-connected graphs: (A) (B)

(C)

Menger's theorem Given two vertices u and v, a <u>uv-cut</u> is a set of vertices S such that G-S has no uv-path. Let $\kappa(u,v)$ be the size of a minimum uv-cut.



```
Proposition
For u and v vertices of G, \kappa(u,v) \ge \kappa(G).
```

Proof A uv-cut makes the graph disconnected, so the connectivity is at most the size of a uv-cut.

Let $\lambda(u,v)$ be the maximum number of internally disjoint uv-paths.

(4)

Proposition For u and v vertices of G, $\kappa(u,v) \ge \lambda(u,v)$.

Proof

We need to delete at least one vertex per path, and no vertex belongs to two paths.



In fact, one can get a much stronger result: <u>Theorem</u> (Menger, 1927) If u and v are not adjacent, the minimum size of a uv-cut is the maximum number of internally disjoint uv-paths.

Proof (optional): read in the textbook, proof of theorem 4.2.17. We will see another proof with the Ford-Fulkerson algorithm next week Monday.

Reference: Douglas B. West. Introduction to graph theory, 2nd edition, 2001. Sections 4.1 and 4.2